ALPHABETIC INDEX OF F-APPENDICES

NUMERICAL INDEX OF F-APPENDICES

                              APPENDIX F-601

            INVALID UNIT ASSEMBLY UPDATE RECORD LISTING (PSAA01P1)

1. PURPOSE

   This report advises the Assembly Manager of invalid Unit Assembly
Update Documents (DIC C2Z) and provides appropriate error messages.

2. ORIGIN

    This report is produced as a result of processing invalid Unit
Assembly Update Documents, DIC C2Z. (Appendix B-622)

3. FREQUENCY

    Daily.

4. FORMAT

   a. Heading Line:

     (1) DATE - The date the report was generated (DD MMM YY).

     (2) TITLE - INVALID UNIT ASSEMBLY UPDATE RECORD LISTING

     (3) REPORT NUMBER - F-601 (PSAA01P1).

     (4) PAGE NUMBER - Numbered sequencially.

   b. Data Organization:

     (1) SEQUENCE:

       (a) Unit Assembly Number.

       (b) Type NSN Code.

       (c) NSN.

       (d) Julian Date.

       (e) Action Code.

     (2) Number of lines per page: 50.

     (3) SPACING: Single.

   c. Caption of Data Elements:

     (1) INVALID C2Z DOCUMENT - The invalid alphanumeric 80 character C2Z
document.

     (2) ERROR MESSAGE - The reasons why the C2Z is invalid.

5. DISTRIBUTION

   One copy to the appropriate Assembly Manager.

6. PROCEDURES FOR REVIEW AND PROCESSING

   See appendix E-622 V.

.

DATE 23 SEP 96   INVALID UNIT ASSEMBLY UPDATE RECORD LISTING   PSAA01P1   PAGE 1

               UA UPDATE LISTING   EXCEPTION REASON

0   1   2   3   4   5   6   7   8 00 00 0 0 02 23 44 44 55 6 6 7 78

1234567890123456789012345678901234567890123456789012345678901234567890 13 46 7 8 91 37 45 69 06 1 2 6 80

C2ZS9MA06545000C034861MCBL FLD LSL AUG/CSH EA1363   1   6192   NSN
C2ZS9MA06545000C034862MCBL GEN LSL AUG/CSH EA1364   1   6192   NSN

APPENDIX F-606A/B/C

UAMF RECORD ERROR NOTIFICATION REPORT (PSAA06P1)

1. PURPOSE

   Provides a series of error messages to the Assembly Manager identi-
fying invalid DIC C2Z documents submitted by the Defense Medical
Standardization Board (DMSB), Military Services, or the Assembly
Managers for establishing, replacing or deleting a major or minor Unit
Assembly record.

2. ORIGIN

   This report is produced in three parts as a result of processing SASS
Unit Assembly Update Documents (DIC C2Z) input by the DMSB, Military
Services, or the Assembly Managers.

3. FREQUENCY

   Daily.

4. FORMAT

   a. Heading Line:

      (1) DATE - The date the report was generated (DD MMM YY).

      (2) TITLE - DEPMEDS UA MAINTENANCE PROCESS.

      (3) REPORT NUMBER - F-606A/B/C, (PSAA06P1).

      (4) PAGE NUMBER - Numbered sequencially for each report part.

   b. Sub-Heading Line:

      TITLE - UAMF RECORD ERROR NOTIFICATION REPORT : PART _.

   c. Data Organization:

      (1) Report will be generated in three formats:

         (a) F-606A - Sorted in Unit Assembly Number, Type NSN Code, and
NSN sequence.

         (b) F-606B - Sorted in NSN and Unit Assembly Number sequence.

         (c) F-606C - Sorted in NSN, Problem/Error Message, and Unit
Assembly Number sequence.

      (2) Number of lines per page: 50.

      (3) Spacing: single.

d. Caption of Data Elements:

    (1) TYP ACT - Type Action Code.

    (2) TYP NSN - Type NSN Code.

    (3) NSN - National Stock Number.

    (4) CRIT FAC - Criticality Factor.

    (5) UI UA - Unit of Issue of Unit Assembly.

    (6) UI NIR - Unit of Issue as identified in the National Inventory
Record.

    (7) UA NR - Unit Assembly Number.

    (8) GRP CD - Group Code.

    (9) JUL DATE - Julian Date when the C2Z update document was created
(YDDD).

    (10) SSC - Supply Status Code.

    (11) NIR KEY - National Inventory Record Key Code.

    (12) PROBLEM/CONDITION - Error Message.

5. DISTRIBUTION

   One copy to the appropriate Assembly Manager.

6. PROCEDURES FOR REVIEW AND PROCESSING

   These procedures provide instructions for the research, correction and
reentry of C2Z documents or the research and correction of the
appropriate files.

   The Chief, DEPMEDS/Assembly Section, Readiness Commercial Business
Unit (CBU), Director of Medical Materiel is responsible to make sure
this report is reviewed and worked by the necessary medical personnel.

PROBLEM/ERROR MESSAGE	DEFINITION
NO NIR	Processed C2Z NSN is not found on National Inventory Record File (NIRF).
UA UI NOT EQUAL NIR UI	UAMF Record Unit Of Issue does not match NIRF
DELETED ITEM	NIRF indicates the UAMF Record NSN is a deleted item .
TERMINAL STATUS ITEM	NIRF indicates the UAMF Record NSN will no longer be purchased for a stocked item.
SSC-2/3 NSN HAS PGC 40000	NIRF indicates the UAMF Record NSN has a Procurement Group Code of 40000.

PROBLEM/ERROR MESSAGE   DEFINITION

TYP 1 NO TYP 0   UAMF has a component item record with no end
                          item record.

TYP 0 NO TYP 1   UAMF has an end item record with no component
                          item record.

   a. PROCESSING/RESEARCH INSTRUCTIONS

      (1) PROBLEM/ERROR MESSAGE: NO NIR.

         (a) REASON FOR VIOLATION/ERROR CONDITION

         The SASS updated the UAMF with the data on an incoming C2Z. The
system then checked the National Inventory Record File (NIRF) and found
the item did not exist on file.

         (b) PROCESSING/RESEARCH REQUIRED

         1. Determine if it is a multi-managed item.

         2. If it is, establish a skeleton NIRF record and no further
actions are required.

         3. If not, the submitter has to determine if the NSN was input
correctly.

         4. If the NSN is incorrect, see REENTRY INSTRUCTIONS below to
reinput with the correct NSN. The submitter should decide if a C2Z with
a deletion, D, Action Code is needed to delete the UAMF record for the
wrong NSN.

         5. If the NSN is correct, advise the logistics personnel in the
appropriate CBU concerning the error.

         (c) REENTRY INSTRUCTION

         See Appendix B-622 to recreate the C2Z and then reinput into the
SASS.

      (2) PROBLEM/ERROR MESSAGE: UA UI NOT EQUAL NIR UI

         (a) REASON FOR VIOLATION/ERROR CONDITION

         The SASS updated the UAMF with the data on an incoming C2Z. The
system then checked the NIRF and found the UAMF UI did not match the UI
on the NIRF.

         (b) PROCESSING/RESEARCH REQUIRED

         The submitter should obtain the correct Unit of Issue from the
NIRF and see the REENTRY INSTRUCTIONS below to reinput the C2Z with the
correct Unit of Issue.

(c) REENTRY INSTRUCTION

        See Appendix B-622 to recreate the C2Z and then reinput into the
SASS.

    (3) PROBLEM/ERROR MESSAGE: DELETED ITEM.

        (a) REASON FOR VIOLATION/ERROR CONDITION

        The SASS updated the UAMF with the data on an incoming C2Z. The
system then checked the NIRF. It indicated the item was a deleted item.

        (b) PROCESSING/RESEARCH REQUIRED

        The submitter should be contacted to determine the appropriate
action.

        (c) REENTRY INSTRUCTION

        See Appendix B-622 to recreate the C2Z and then reinput into the
SASS.

    (4) PROBLEM/ERROR MESSAGE: TERMINAL STATUS ITEM.

        (a) REASON FOR VIOLATION/ERROR CONDITION

        The SASS updated the UAMF with the data on an incoming C2Z. The
system then checked the NIRF. It indicated the item will no longer be
purchased for stockage.

        (b) PROCESSING/RESEARCH REQUIRED

        The submitter should be contacted to determine the appropriate
action.
        (c) REENTRY INSTRUCTION

        See Appendix B-622 to recreate the C2Z and then reinput into the
SASS.

    (5) PROBLEM/ERROR MESSAGE: SSC-2/3 NSN HAS PGC 40000.

        (a) REASON FOR VIOLATION/ERROR CONDITION

        The SASS updated the UAMF with the data on an incoming C2Z. The
system then checked the NIRF. It indicated the item has a Procurement
Group Code of 40000.

        (b) PROCESSING/RESEARCH REQUIRED

        The Assembly Manager should contact the Logistics Personnel in
the appropriate Commercial Business Unit to correct the Procurement
Group Code in the NIRF.

(6) PROBLEM/ERROR MESSAGE: TYP 1 NO TYP 0

    (a) REASON FOR VIOLATION/ERROR CONDITION

This violation indicates one or more component items are present for a unit assembly on the UAMF, but no end item information was found.

    (b) PROCESSING/RESEARCH REQUIRED

The Assembly Manager should contact the submitters and advise them to provide a C2Z addition for the missing end item information on the UAMF.

    (c) REENTRY INSTRUCTION

See Appendix B-622 to create the C2Z and then input it into the SASS.

(7) PROBLEM/ERROR MESSAGE: TYP 0 NO TYP 1

    (a) REASON FOR VIOLATION/ERROR CONDITION

This violation indicates an end item exists for a unit assembly on the UAMF, but no component information was found.

    (b) PROCESSING/RESEARCH REQUIRED

The Assembly Manager should contact the submitter and advise him to provide C2Z additions for the missing component item information on the UAMF.

    (d) REENTRY INSTRUCTION

See Appendix B-622 to create the C2Zs and then input them into the SASS.

DEPMEDS UA MAINTENANCE PROCESS

UAMF RECORD ERROR NOTIFICATION REPORT : PART A

TYP ACT	TYP NSN	NSN	CRIT FAC	UI UA	UI NIR	UA NR.	GRP CD	JUL DATE	SSC	NIR KEY	PROBLEM/CONDITION
T	1	6515-00-926-9195		PG	PG	A301	Z	6120	6		TERMINAL STATUS ITEM
T	1	6515-01-256-4979		BX	PG	A301	Z	6120	1		UA UI NOT EQUAL NIR UI
T	1	6530-01-407-6294		PG		A301	Z	6120			NO NIR
T	1	6545-01-302-0228		EA	EA	A301	3	6120	6		TERMINAL STATUS ITEM
T	1	7110-01-247-8882		EA		A301	2	6120			NO NIR
T	1	7520-01-352-7321		SE		A301	2	6120			NO NIR
T	1	6515-01-337-3133		EA	PG	A302	Z	6120	2	CF	UA UI NOT EQUAL NIR UI
T	1	6515-01-354-3177		EA	PG	A302	Z	6120	2	CF	UA UI NOT EQUAL NIR UI
T	1	6515-01-356-4812		EA	PG	A302	Z	6120	3		UA UI NOT EQUAL NIR UI
T	1	6515-01-421-2973		EA	SE	A302	Z	6120	2	C	UA UI NOT EQUAL NIR UI
T	1	6530-01-153-6465		PG		A302	Z	6120			NO NIR
T	1	6530-01-193-8442		PG		A302	Z	6120			NO NIR
T	1	6532-01-300-7620		PG	PG	A302	Z	6120	6	DD	DELETED ITEM
											TERMINAL STATUS ITEM
T	1	6640-00-427-6875		EA	PG	A303	Z	6120	2		UA UI NOT EQUAL NIR UI
T	1	6640-00-782-6008		PG	PG	A303	Z	6120	6		TERMINAL STATUS ITEM
T	1	8415-01-129-6535		PR	PR	A303	Z	6120	6		TERMINAL STATUS ITEM

DATE 22 JUL 96

DEPMEDS UA MAINTENANCE PROCESS   PSAAU6P1   PAGE   1

UAMF RECORD ERROR NOTIFICATION REPORT : PART B

TYP ACT	TYP NSN	NSN	CRIT FAC	UI UA	UI NIR	UA NR.	GRP CD	JUL DATE	SSC	NIR KEY	PROBLEM/CONDITION
T	1	3433-00-357-6311		OT	EA	A322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3433-00-357-6311		OT	EA	D322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-00-247-6931		SL	LB	A322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-00-247-6931		SL	LB	D322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-00-247-6931		SL	LB	890A	2	9013	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-00-247-6931		SL	LB	895T	2	9013	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-00-273-3722		SL	LB	A322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-00-273-3722		SL	LB	D322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-01-008-7580		SL	EA	A322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3439-01-008-7580		SL	EA	D322	2	6120	1	MM	UA UI NOT EQUAL NIR UI
T	1	3770-01-213-7109		PG	EA	1902	Z	5249	6		TERMINAL STATUS ITEM
T	1	3770-01-213-7109		PG	EA	1921	Z	5249	6		UA UI NOT EQUAL NIR UI TERMINAL STATUS ITEM
T	1	4110-00-707-2550		EA	EA	2003	3	5249	6		TERMINAL STATUS ITEM
T	1	4210-01-238-1861		EA		C306	0	6120			NO NIR
T	1	4210-01-238-1861		EA		D306	0	6120			NO NIR

DATE 22 JUL 96   DEPMEDS UA MAINTENANCE PROCESS   PSAAO6P1   PAGE

                                 UAMF RECORD ERROR NOTIFICATION REPORT : PART C

TYP ACT	TYP NSN	NSN	CRIT FAC	UI UA	UI NIR	UA NR.	GRP CD	JUL DATE	SSC	NIR KEY	PROBLEM/CONDITION
A	1	6135-00-050-3280		EA	EA	1364	1	6192	1	MM	TYP 1 NO TYP 0
A	1	6505-00-051-9050		BT	BT	1363	9	6192	2		TYP 1 NO TYP 0
T	1	4210-01-238-1861		EA		C306	0	6120			NO NIR
T	1	4210-01-238-1861		EA		D306	0	6120			NO NIR
T	1	5120-00-294-9505		EA		A324	2	6120			NO NIR
T	1	5120-00-294-9505		EA		D324	2	6120			NO NIR
T	1	5120-00-542-3055		EA		A324	2	6120			NO NIR
T	1	5120-00-542-3055		EA		D324	2	6120			NO NIR
T	1	5120-00-542-4489		EA		A324	2	6120			NO NIR
T	1	5120-00-542-4489		EA		D324	2	6120			NO NIR
T	1	5120-01-289-4310		EA		A322	2	6120			NO NIR
T	1	5120-01-289-4310		EA		D322	2	6120			NO NIR
T	1	5130-01-236-9633		EA		A322	2	6120			NO NIR
T	1	5130-01-236-9633		EA		D322	2	6120			NO NIR
T	1	5340-01-346-7462		EA		A306	2	6120			NO NIR
T	1	5340-01-346-7462		EA		D306	2	6120			NO NIR
T	1	5350-00-235-0137		PG		A312	2	6120			NO NIR